## **OfficeServ 7200** Converged Communications Platform



Welcome to the world of convergence. Not just the convergence of voice and data, but also the convergence of wired and wireless communications. The convergence of wired and wireless communications gives you the full functionality of traditional communications platforms plus the convenient, efficient, nonstop access that wireless appliances provide. Additionally, the convergence of voice and data on one integrated platform provides an efficient

and cost-effective solution for your enterprise communication demands. Truly, this new world of convergence draws on the best of all worlds - for more efficient, more flexible, more complete enterprise communications.

Combining its expertise in wireless communications, core

networks, digital technology and IP functionality, Samsung brings you the OfficeServ<sup>™</sup> 7200 converged communication system. As a completely converged platform, OfficeServ 7200 supports both voice and data communication with powerful, IP-based wired and wireless flexibility. Traditional voice communication, voice over IP, IP-based data and wireless solutions through a Wireless LAN - OfficeServ 7200 supports them all. Simultaneously.

# 

#### The Next Generation of Convergence

#### Integrate your Communication Environment

OfficeServ<sup>™</sup> 7200 handles voice calls and data using a flexible array of 10/100 Base-T interfaces that may be used for Local Area Network (LAN) and Wide Area Network (WAN). This provides an integrated wired and wireless platform that conveniently supports Samsung VoIP applications, OfficeServ Wireless (WLAN) phones, traditional phones, PCs, servers and other peripherals to suit your business communication

needs, whatever they may be.

### Save Money with Expanded Functionality

The OfficeServ 7200 solution includes the powerful, cost-effective SVMi-20E messaging platform. The SVMi-20E is a fully integrated voice-processing platform that provides flexible auto attendant/ call processing and, thanks to the

Samsung E-Mail Gateway, delivers voicemail to your SMTP e-mail client as a .wav file attachment. Exclusive to the OfficeServ 7200 system, the SVMi-20E is a modular, moneysaving solution for future port migration. With the SVMi-20E, your voice processing system grows as your business grows. Simply plug in additional four port modules to expand from 4 to 12 ports. This is investment protection at its best.



#### **Ensure your Quality of Service**

OfficeServ 7200 helps you take control of your voice call Quality of Service (QoS). Just set your QoS based on the priorities and grouping of voice and data packets:

- Layer 2 QoS: Priority Processing (802.1p), VLAN (802.1q)
- Layer 3 QoS: Class-based Queuing (CBQ), QTP Priority Queuing or on-demand management of the Wide Area Network (WAN) bandwidth

#### **Capitalize on Advanced Data Applications**

Using the firewall, NAT routing, VPN, VLAN and managed switch capabilities of the OfficeServ 7200, advanced data applications provide superior business value:

**Multi-User Network/Internet Access** - Connect your DSL, cable modem or T1 directly for office-wide Internet access

**Multi-User Network/Internet with WLAN** - Connect your DSL, cable modem or T1 directly to share access with wired and WiFi-enabled devices

**Remote IP Phones with Existing Data Infrastructure** - With a single IP address from your ISP, connect multiple Samsung IP phones across the Internet without third-party router installation or configuration

**Local IP Phones with QoS** - Connect multiple IP phones on the LAN using Samsung's add-on WIM and PLIM to create an enforceable QoS model

**Remote Branching Network** - Remotely connect to any supported iDCS or OfficeServ system using embedded data capabilities

**Multiple Internet Connections** - Connect multiple Internet connections allowing segregated voice and data on different networks

**Intrusion Detection System (IDS)** - Secure your VoIP and data network using the embedded IDS system

#### Get Mobile with OfficeServ<sup>™</sup> Wireless

Working with the OfficeServ<sup>™</sup> 7200 platform, the OfficeServ<sup>™</sup> Wireless solution liberates you from your desk and still keeps you in touch. With OfficeServ Wireless, you get the high-quality voice service you've come to expect from a Samsung communication system plus the converged environment of the new OfficeServ 7200 and secure mobility. Now that's truly a converged solution.

OfficeServ Wireless delivers a host of key advantages:

- No monthly airtime charges uses the unlicensed 2.4 GHz frequency band
- Excellent voice quality guaranteed priority for voice IP packets
- Full-feature integration with Samsung IP-enabled key systems
- Covers large area with an unlimited number of WAPs
- Innovative wireless handset lightweight with easy access to system features
- Flexible configuration separate voice and data network management
- Programming through phone or PC

#### Increase your Capabilities with Enhanced OfficeServ Applications

In addition to the OfficeServ<sup>™</sup> Wireless solution, OfficeServ<sup>™</sup> 7200 is supported by Samsung's OfficeServ<sup>™</sup> suite of applications.

At the heart of it all, OfficeServ<sup>™</sup> Link controls and monitors all commands and events between the telephone system and other OfficeServ applications.

OfficeServ<sup>™</sup> **EasySet's** Web-based GUI is a quick and easy way to personalize individual buttons and station settings.

With OfficeServ<sup>™</sup> **Call** and OfficeServ<sup>™</sup> **Operator**, individual users and system operators get more powerful call control functions using their PCs.

Operating on a VPN, OfficeServ<sup>™</sup> **Softphone** lets travelers and remote users connect from anywhere in the world 24/7 and use their desktops just as if they were in the office.

Samsung's automatic call distribution capabilities combined with the historical reporting and supervisor monitoring of OfficeServ™ **DataView** provide a complete call center solution.





#### Wireless Phone (SMT-W5100E)

- ▶ IEEE 802.11g, SIP protocol
- ▶ Color Display
- Speaker Phone
- ▶ Talk Time: 4 hours\*\*
- ▶ Standby Time: 40 hours\*\*
- ▶ Weight: 3.75 oz

#### SMT-R2000 Dual Band WAP

- Supports both voice and data on a single wireless network
- Provides hand-off between access points for highquality voice services over your entire enterprise
- ▶ Support both 2.4 GHz and 5 GHz radios for IEEE 802.11 a/b/g
- ▶ Enhanced security with WEP/WPA/WPA2
- ▶ Wi-Fi Certified



## **Office**Serv **7200 Features & Specifications**

#### **System Features**

Account Code Entry Forced - Verified • Forced - Not Verified Voluntary Account Code Key Account Code Key - One Touch Administrator Program Key All Call Voice Page Attention Tone Audio Message with Alarm (Timer) Reminder Authorization Codes Forced Voluntary Auto Answer on CO Auto Attendant† Automatic Call Distribution (ACD) Automatic Hold Background Music Branch Group Call Activity Display Call Center • Agent Busy/Manual Wrap-Up Key • Agent PIN (ID) Numbers • Agent Login & Logout • Automatic Logout • Automatic Wrap-Up Timer Priority Call Queuing • Embedded Reporting Package Agent Statistics Call Statistics Group Supervisors Printed Reports OfficeServ DataView UCD Statistics UCD Monitoring

Wall-Style Display Windows Call Costing

Caller Identification<sup>†</sup> Automatic Number Identification (ANI)

- Caller ID
- Calling Line Identification (CLI)

#### Caller ID Features • Name/Number Display Next Call

- Save Caller ID Number
- Store Caller ID Number
- Inquire Park/Hold
- Caller ID Review List Investigate
- Abandon Call List
- Caller TD on SMDR
- Number to Name Translation
- Caller ID to PSTN
- Caller ID to Analog Port
- Call Forwarding
- All Calls
- Busy
- No Answer
- Busy/No Answer
- Forward DND
- Follow Me
- External
- To Voice Mail
- Preset Destination
- Preset Forward Busy
- Call Hold Exclusive
- System
- Remote
  - Call Park and Page
- Call Pickup
- Directed
- Groups
- Established Call Recording Call Waiting/Camp-On Caller Emergency Service ID (CESID) Centrex/PBX Use Chain Dialing Chain Forward Class of Service Common Bell Control Computer Telephony
  - Integration(CTI)
- OfficeServ<sup>™</sup> Link
- OfficeServ<sup>™</sup> DataView • OfficeServ<sup>™</sup> EasySet

#### **System Capacities**

| orenn eupacieres                       |  |  |
|--|--|--|
| Wireless Handsets                      |  | 32   |
| Standard SIP Phones 22 Analog Phones   |  | 52   |
|  |  |  |
| Samsung IP Phones / Softphone          |  |  |
| Voice Mail (SVMi-20E)                  |  | 12   |
| Maximum Stations                       |  | 120  |
| Standard SIP Trunks                    | 32   | 32   |
| Standard H.323 Trunks                  | 16   | 32   |
| Analog Trunks                          |  |  |
| Digital Trunks T1/PRI                  |  | 60   |
| Networking Trunks                      |  |  |
| Maximum Trunks                         |  | 60   |
| Maximum Stations + Trunks + Voice Mail |  | 180  |
|  | Wireless Handsets         Standard SIP Phones         Analog Phones         Digital Phones         Samsung IP Phones / Softphone         Voice Mail (SVMi-20E)         Maximum Stations         Standard SIP Trunks         Standard H.323 Trunks         Analog Trunks         Digital Trunks T1/PRI         Networking Trunks         Maximum Trunks | Wireless Handsets         Standard SIP Phones         Analog Phones         Digital Phones         Samsung IP Phones / Softphone         Voice Mail (SVMi-20E)         Maximum Stations         Standard SIP Trunks       32         Standard SIP Trunks       16         Analog Trunks       16         Digital Trunks T1/PRI       Networking Trunks         Maximum Trunks       Maximum Trunks |

For additional information on System, Station and Display features, refer to the OfficeServ 7200 General Description or ask your Authorized Dealer.

\* Maximum capacity is shown for each circuit type. Combinations of these cards will reduce maximum capacities.
 \* \*Battery standby and talk times will vary depending on phone usage patterns and conditions. Battery power consumption depends on factors such as phone system configuration, signal strength, operating temperature, features selected, vibrate mode, backlight settings, frequency of calls, and voice, data, and other application usage patterns.

† Requires optional hardware and/or software, Contact your Samsung Authorized Dealer for details.

 Add-On (5 party) Unsupervised

• OfficeServ<sup>™</sup> Call

OfficeServ<sup>™</sup> Operator

• Split Conference Group Customer Set Relocation Data Security Database Printout Daylight Saving Time-Automatic Dialed Number Identification Service (DNIS) Direct In Lines Direct Inward Dialing (DID) T1 • Day/Night Routing • Busy or Camp-On Option • MOH Source DID Call Limits Direct Inward System Access (DISA) Direct Trunk Selection Directory Names **DISA** Security **Distinctive Ringing** Door Lock Release (Programmable) Door Phones E & M Tie Lines (T1) Executive Barge-In (Override) • With Warning Tone • Without Warning Tone Trunk Monitor or Service Observing

External Music Interfaces External Page Interfaces Flash Key Operation Flexible Numbering Ground Start Trunks (T1) Group Busy Setting Hot Line In Group/Out of Group Incoming Call Distribution Incoming/Outgoing Service Individual Line Control **IP** Keysets

ISDN Service • Primary Rate Interface (PRI) LAN Interface Least Cost Routing Live System Programming • From any Display Keyset • With a Personal Computer Meet Me Page and Answer Memory Protection Message Waiting Indications Message Waiting Key Microphone On/Off per Station Mobility Solution Multiple Language Support Music on Hold-Flexible Music on Hold-Sources Networking • OSIG over IP • QSIG over PRI OfficeServ<sup>™</sup> Wireless Operator Group Overflow Operator • Station Group Override Codes Paging • Internal Zones (5) • External Zones (4) • All External Page All Park Orbits Prime Line Selection Priority Call Queuing Private Lines Programmable Line Privacy Programmable Timers Recalls Recall to Operator Redial Review Remote Programming-PC **Ring Modes** • Time Based Routing-Plans

Secretary Pooling

Station List

System List

• Distributed

• Sequential

Station Pair

System Alarms

System Directory

Toll Restriction

Tenant Services (2)

• By Day or Night

• By Line or Station

• Special Code Table

Toll Restriction Override

Screened/Unscreened

Voice mail Transfer Key

Uniform Call Distribution (UCD)

Tone or Pulse Dialing

Traffic Reporting

• With Camp-On

Universal Answer

Virtual Extensions

• Inband Signaling

Voice over IP (VoIP) Walking Class of Service

• Integrated (In-Skin)

Trunk Groups

Voice Mail

Wireless LAN

Transfer

• Eight Dialing Classes

Unconditional

Station Message Detail Recording (SMDR)

System Maintenance Alarms

Speed Dial Numbers

Single Line Connections

Speed Dial by Directory

Station Hunt Groups

• Automatic / Manual

- Holiday Schedule
- Temporary Override
- Ring Over Page

#### **System Interfaces**

| Trunk    | TEPRI 2, TEPRI, 8 TRK   |
|----------|---|
| Station  | 16 DLI2, 8 DLI, 16 MWSLI, 8 SLI, 8 COMBO  |
| Data     | WIM: L3 Router with Intrusion Detection, Firewall,<br>VPN, QoS, and other advanced router functions<br>3 10/100 Ethernet ports, 1 10 MB Ethernet Port,<br>1—V.35, 1—HSSI<br>PLIM: Managed L2 with module with PoE |
| VoIP     | MGI 16, MGI 64  |
| Wireless | WLAN access point interface module  |

